PRODUCT INFORMATION A PRODUCT OF AMERICAN CHEMICAL TECHNOLOGIES, INC.



EcoSafe[®] V-200

Bio-Based, Fire-Resistant Hydraulic Fluid

DESCRIPTION:

EcoSafe[®] V-200 is the latest addition to ACT's line of hydraulic fluids designed for systems requiring readily biodegradable, nontoxic fluids. It can be used in industrial, marine, and mobile service, including high-pressure systems, systems with servo valves, and all robotics. It is formulated from select, high-quality, high-VI vegetable oils and additives, which provide the properties required in hydraulic fluids while satisfying the stringent criteria for biodegradability and toxicity. EcoSafe[®] V-200 provides the excellent anti-wear and film-strength characteristics necessary for hydraulic systems operating under moderate to severe conditions. EcoSafe[®] V-200 is Factory Mutual approved as a fire resistant hydraulic fluid.

LABORATORY DATA:

Appearance Viscosity @ 100°F Viscosity Index Specific Gravity Flash Point Fire Point Autoignition Temp Pour Point Corrosion Test Total Acid Number Resistivity @ 25 C Foam Test	Test Method ASTM D445 ASTM D2270 ASTM D1475 ASTM D92 ASTM D92 ASTM E659 ASTM D97 ASTM D665A ASTM D664 ASTM D1169 ASTM D892	ESV200 Clear, Green 190 – 215 SUS 198 0.94 291 °C (555 °F) 318 °C (605 °F) 416 °C (781 °F) -29 °C (-20 °F) Pass 0.25 43.6 giga ohm-cm Sequence I 450/0
Foam Test	ASTM D892	Sequence I450/0Sequence II40/0Sequence III370/0
RBOT 4-Ball wear Hydraulic Pump Wear Test	ASTM D2272 ASTM D4172 ASTM D7043	50.0 min 0.38 mm <5mg

The information contained herein is correct to the best of our knowledge. The recommendations or suggestions contained in this bulletin are made without guarantee or representation as to results. We suggest that you evaluate these recommendations and suggestions in your own laboratory prior to use. Our responsibility for claims arising from breach of warranty, negligence, or otherwise is limited to the purchase price of the material. Freedom to use any patent owned by American Chemical Technologies' or others is not to be inferred from any statement contained herein.